

Quantitative Timed Analysis of Interactive Markov Chains

Dennis Guck¹, Tingting Han²,
Joost-Pieter Katoen¹, and Martin R. Neuhäuser³

¹ RWTH Aachen University, Germany

² University of Oxford, UK

³ Saarland University, Germany

Abstract This paper presents new algorithms and accompanying tool support for analyzing interactive Markov chains (IMCs), a stochastic timed $1\frac{1}{2}$ -player game in which delays are exponentially distributed. IMCs are compositional and act as semantic model for engineering formalisms such as AADL and dynamic fault trees. We provide algorithms for determining the extremal expected time of reaching a set of states, and the long-run average of time spent in a set of states. The prototypical tool IMCA supports these algorithms as well as the synthesis of ε -optimal piecewise constant timed policies for timed reachability objectives. Two case studies show the feasibility and scalability of the algorithms.

1 Introduction

Continuous-time Markov chains (CTMCs) are perhaps the most well-studied stochastic model in performance evaluation and naturally reflect the random real-time behavior of stoichiometric equations in systems biology. LTSs (labeled transition systems) are one of the main operational models for concurrency and are equipped with a plethora of behavioral equivalences like bisimulation and trace equivalences. A natural mixture of CTMCs and LTSs yields so-called *interactive Markov chains* (IMCs), originally proposed as a semantic model of stochastic process algebras [18,19]. As a state may have several outgoing action-transitions, IMCs are in fact stochastic real-time $1\frac{1}{2}$ -player games, also called continuous-time probabilistic automata by Knast in the 1960's [21].

IMC usage. The simplicity of IMCs and their compositional nature —they are closed under CSP-like parallel composition and restriction— make them attractive to act as a semantic backbone of several formalisms. IMCs were developed for stochastic process algebras [18]. Dynamic fault trees are used in reliability engineering for safety analysis purposes and specify the causal relationship between failure occurrences. If failures occur according to an exponential distribution, which is quite a common assumption in reliability analysis, dynamic fault trees are in fact IMCs [4]. The same holds for the standardized Architectural Analysis and Design Language (AADL) in which nominal system behavior is extended with probabilistic error models. IMCs turn out to be a natural semantic model

for AADL [5]; the use of this connection in the aerospace domain has recently been shown in [26]. In addition, IMCs are used for stochastic extensions of State-mate [3], and for modeling and analysing industrial GALS hardware designs [12].

IMC analysis. The main usage of IMCs so far has been the compositional generation and minimization of models. Its analysis has mainly been restricted to “fully probabilistic” IMCs which induce CTMCs and are therefore amenable to standard Markov chain analysis or, alternatively, model checking [1]. CTMCs can sometimes be obtained from IMCs by applying weak bisimulation minimization; however, if this does not suffice, semantic restrictions on the IMC level are imposed to ensure full probabilism. The CADP toolbox [11] supports the compositional generation, minimization, and standard CTMC analysis of IMCs. In this paper, we focus on the *quantitative timed analysis* of arbitrary IMCs, in particular of those, that are non-deterministic and can be seen as stochastic real-time $1\frac{1}{2}$ -player games. We provide algorithms for the expected time analysis and long-run average fraction of time analysis of IMCs and show how both cases can be reduced to stochastic shortest path (SSP) problems [2,15]. This complements recent work on the approximate time-bounded reachability analysis of IMCs [27]. Our algorithms are presented in detail and proven correct. Prototypical tool support for these analyses is presented that includes an implementation of [27]. The feasibility and scalability of our algorithms are illustrated on two examples: A dependable workstation cluster [17] and a Google file system [10]. Our IMCA tool is a useful backend for the CADP toolbox, as well as for analysis tools for dynamic fault trees and AADL error models.

Related work. Untimed quantitative reachability analysis of IMCs has been handled in [11]; timed reachability in [27]. Other related work is on continuous-time Markov decision processes (CTMDPs). A numerical algorithm for time-bounded expected accumulated rewards in CTMDPs is given in [8] and used as building brick for a CSL model checker in [7]. Algorithms for timed reachability in CTMDPs can be found in, e.g. [6,24]. Long-run averages in stochastic decision processes using observer automata (“experiments”) have been treated in [14], whereas the usage of SSP problems for verification originates from [15]. Finally, [25] considers discrete-time Markov decision processes (MDPs) with ratio cost functions; we exploit such objectives for long-run average analysis.

Organization of the paper. Section 2 introduces IMCs. Section 3 and 4 are devoted to the reduction of computing the optimal expected time reachability and long-run average objectives to stochastic shortest path problems. Our tool IMCA and the results of two case studies are presented in Section 5. Section 6 concludes the paper.

2 Interactive Markov chains

Interactive Markov chains. IMCs are finite transition systems with action-labeled transitions and Markovian transitions which are labeled with a positive real number (ranged over by λ) identifying the rate of an exponential distribution.

Definition 1 (Interactive Markov chain). An interactive Markov chain is a tuple $\mathcal{I} = (S, Act, \rightarrow, \Longrightarrow, s_0)$ where S is a nonempty, finite set of states with initial state $s_0 \in S$, Act is a finite set of actions, and

- $\rightarrow \subseteq S \times Act \times S$ is a set of action transitions and
- $\Longrightarrow \subseteq S \times \mathbb{R}_{>0} \times S$ is a set of Markovian transitions.

We abbreviate $(s, \alpha, s') \in \rightarrow$ by $s \xrightarrow{\alpha} s'$ and $(s, \lambda, s') \in \Longrightarrow$ by $s \xrightarrow{\lambda} s'$. IMCs are closed under parallel composition [18] by synchronizing on action transitions in a TCSP-like manner. As our main interest is in the analysis of IMCs, we focus on so-called *closed* IMCs [20], i.e. IMCs that are not subject to any further synchronization. W.l.o.g. we assume that in closed IMCs all outgoing action transitions of state s are uniquely labeled, thereby naming the state's nondeterministic choices. In the rest of this paper, we only consider closed IMCs. For simplicity, we assume that IMCs do not contain deadlock states, i.e. in any state either an action or a Markovian transition emanates.

Definition 2 (Maximal progress). In any closed IMC, action transitions take precedence over Markovian transitions.

The rationale behind the maximal progress assumption is that in closed IMCs, action transitions are not subject to interaction and thus can happen immediately, whereas the probability for a Markovian transition to happen immediately is zero. Accordingly, we assume that each state s has either only outgoing action transitions or only outgoing Markovian transitions. Such states are called *interactive* and *Markovian*, respectively; we use $IS \subseteq S$ and $MS \subseteq S$ to denote the sets of interactive and Markovian states. Let $Act(s) = \{\alpha \in Act \mid \exists s' \in S. s \xrightarrow{\alpha} s'\}$ be the set of enabled actions in s , if $s \in IS$ and $Act(s) = \{\perp\}$ if $s \in MS$. In Markovian states, we use the special symbol \perp to denote purely stochastic behavior without any nondeterministic choices.




Figure 1. An example IMC.

Example 1. Fig. 1 depicts an IMC \mathcal{I} , where solid and dashed lines represent action and Markovian transitions, respectively. The set of Markovian states is $MS = \{s_1, s_3, s_5, s_7, s_8\}$; IS contains all other states. Nondeterminism between action transitions appears in states s_0, s_2, s_4 , and s_9 .

A sub-IMC of an IMC $\mathcal{I} = (S, Act, \rightarrow, \Longrightarrow, s_0)$, is a pair (S', K) where $S' \subseteq S$ and K is a function that assigns each $s \in S'$ a set $\emptyset \neq K(s) \subseteq Act(s)$ of actions such that for all $\alpha \in K(s)$, $s \xrightarrow{\alpha} s'$ or $s \xrightarrow{\lambda} s'$ imply $s' \in S'$. An *end component* is a sub-IMC whose underlying graph is strongly connected; it is *maximal* w.r.t. K if it is not contained in any other end component (S'', K) .

Example 2. In Fig. 1, the sub-IMC (S', K) with state space $S' = \{s_4, s_5, s_6, s_7\}$ and $K(s) = Act(s)$ for all $s \in S'$ is a maximal end component.

IMC semantics. An IMC without action transitions is a CTMC; if \Longrightarrow is empty, then it is an LTS. We briefly explain the semantics of Markovian transitions. Roughly speaking, the meaning of $s \xrightarrow{\lambda} s'$ is that the IMC can switch from state s to s' within d time units with probability $1 - e^{-\lambda d}$. The positive real value λ thus uniquely identifies a negative exponential distribution. For $s \in MS$, let $\mathbf{R}(s, s') = \sum\{\lambda \mid s \xrightarrow{\lambda} s'\}$ be the *rate* to move from state s to state s' . If $\mathbf{R}(s, s') > 0$ for more than one state s' , a competition between the transitions of s exists, known as the race condition. The probability to move from such state s to a particular state s' within d time units, i.e. $s \Longrightarrow s'$ wins the race, is

$$\frac{\mathbf{R}(s, s')}{E(s)} \cdot \left(1 - e^{-E(s)d}\right), \quad (1)$$

where $E(s) = \sum_{s' \in S} \mathbf{R}(s, s')$ is the *exit rate* of state s . Intuitively, (1) states that after a delay of at most d time units (second term), the IMC moves probabilistically to a direct successor state s' with discrete branching probability $\mathbf{P}(s, s') = \frac{\mathbf{R}(s, s')}{E(s)}$.

Paths and schedulers. An infinite path π in an IMC is an infinite sequence:

$$\pi = s_0 \xrightarrow{\sigma_0, t_0} s_1 \xrightarrow{\sigma_1, t_1} s_2 \xrightarrow{\sigma_2, t_2} \dots$$

with $s_i \in S$, $\sigma_i \in Act$ or $\sigma_i = \perp$, and $t_i \in \mathbb{R}_{\geq 0}$. The occurrence of action α in state s_i in π is denoted $s_i \xrightarrow{\alpha, 0} s_{i+1}$; the occurrence of a Markovian transition after t time units delay in s_i is denoted $s_i \xrightarrow{\perp, t} s_{i+1}$. For $t \in \mathbb{R}_{\geq 0}$, let $\pi@t$ denote the set of states that π occupies at time t . Note that $\pi@t$ is in general not a single state, but rather a set of states, as an IMC may exhibit immediate transitions and thus may occupy various states at the same time instant. Let *Paths* and *Paths** denote the sets of infinite and finite paths, respectively.

Nondeterminism appears when there is more than one action transition enabled in a state. The corresponding choice is resolved using *schedulers*. A scheduler (ranged over by D) is a measurable function which yields for each finite path ending in some state s a probability distribution over the set of enabled actions in s . For details, see [27]. A stationary deterministic scheduler is a mapping $D : IS \rightarrow Act$. The usual cylinder set construction yields a σ -algebra \mathfrak{F}_{Paths} of subsets of *Paths*; given a scheduler D and an initial state s , \mathfrak{F}_{Paths} can be equipped with a probability measure [27], denoted $\Pr_{s, D}$.

Zenoness. The time elapsed along an infinite path $\pi = s_0 \xrightarrow{\sigma_0, t_0} s_1 \xrightarrow{\sigma_1, t_1} \dots$ up to state n is $\sum_{i=0}^{n-1} t_i$. Path π is non-Zeno whenever $\sum_{i=0}^{\infty} t_i$ diverges to infinity; accordingly, an IMC \mathcal{I} with initial state s_0 is non-Zeno if for all schedulers D , $\Pr_{s_0, D}\{\pi \in Paths \mid \sum_{i=0}^{\infty} t_i = \infty\} = 1$. As the probability of a Zeno path in a finite CTMC —thus only containing Markovian transitions— is zero [1], IMC \mathcal{I} is non-Zeno if and only if no strongly connected component with states $T \subseteq IS$ is reachable from s_0 . In the rest of this paper, we assume IMCs to be non-Zeno.

Stochastic shortest path problems. The (non-negative) SSP problem considers the minimum expected cost for reaching a set of goal states in a discrete-time Markov decision process (MDP).

Definition 3 (MDP). $\mathcal{M} = (S, Act, \mathbf{P}, s_0)$ is a Markov decision process, where S , Act and s_0 are as before and $\mathbf{P} : S \times Act \times S \rightarrow [0, 1]$ is a transition probability function such that for all $s \in S$ and $\alpha \in Act$, $\sum_{s' \in S} \mathbf{P}(s, \alpha, s') \in \{0, 1\}$.

Definition 4 (SSP problem). A non-negative stochastic shortest path problem (SSP problem) is a tuple $\mathcal{P} = (S, Act, \mathbf{P}, s_0, G, c, g)$, where $(S, Act, \mathbf{P}, s_0)$ is an MDP, $G \subseteq S$ is a set of goal states, $c : S \setminus G \times Act \rightarrow \mathbb{R}_{\geq 0}$ is a cost function and $g : G \rightarrow \mathbb{R}_{\geq 0}$ is a terminal cost function.

The infinite sequence $\pi = s_0 \xrightarrow{\alpha_0} s_1 \xrightarrow{\alpha_1} s_2 \xrightarrow{\alpha_2} \dots$ is a path in the MDP if $s_i \in S$ and $\mathbf{P}(s_i, \alpha_i, s_{i+1}) > 0$ for all $i \geq 0$. Let k be the smallest index such that $s_k \in G$. The accumulated cost along π of reaching G , denoted $C_G(\pi)$, is $\sum_{j=0}^{k-1} c(s_j, \alpha_j) + g(s_k)$. The minimum expected cost reachability of G starting from s in the SSP \mathcal{P} , denoted $cR^{\min}(s, \diamond G)$, is defined as

$$cR^{\min}(s, \diamond G) = \inf_D \mathbb{E}_{s,D}(C_G) = \inf_D \sum_{\pi \in Paths_{abs}} C_G(\pi) \cdot \Pr_{s,D}^{abs}(\pi),$$

where $Paths_{abs}$ denotes the set of (time-abstract) infinite paths in the MDP and $\Pr_{s,D}^{abs}$ the probability measure on sets of MDP paths that is induced by scheduler D and initial state s . The quantity $cR^{\min}(s, \diamond G)$ can be obtained [2,13] by solving the following linear programming problem with variables $\{x_s\}_{s \in S \setminus G}$: maximize $\sum_{s \in S \setminus G} x_s$ subject to the following constraints for each $s \in S \setminus G$ and $\alpha \in Act$:

$$x_s \leq c(s, \alpha) + \sum_{s' \in S \setminus G} \mathbf{P}(s, \alpha, s') \cdot x_{s'} + \sum_{s' \in G} \mathbf{P}(s, \alpha, s') \cdot g(s').$$

3 Expected time analysis

Expected time objectives. Let \mathcal{I} be an IMC with state space S and $G \subseteq S$ a set of goal states. Define the (extended) random variable $V_G : Paths \rightarrow \mathbb{R}_{\geq 0}^{\infty}$ as the elapsed time before first visiting some state in G , i.e. for infinite path $\pi = s_0 \xrightarrow{\sigma_0, t_0} s_1 \xrightarrow{\sigma_1, t_1} \dots$, let $V_G(\pi) = \min \{t \in \mathbb{R}_{\geq 0} \mid G \cap \pi @ t \neq \emptyset\}$ where $\min(\emptyset) = +\infty$. The minimal expected time to reach G from $s \in S$ is given by

$$eT^{\min}(s, \diamond G) = \inf_D \mathbb{E}_{s,D}(V_G) = \inf_D \int_{Paths} V_G(\pi) \Pr_{s,D}(d\pi).$$

Note that by definition of V_G , only the amount of time before entering the first G -state is relevant. Hence, we may turn all G -states into absorbing Markovian states without affecting the expected time reachability. Accordingly, we assume for the remainder of this section that for all $s \in G$ and some $\lambda > 0$, $s \xrightarrow{\lambda}$ s is the only outgoing transition of state s .

Theorem 1. *The function eT^{\min} is a fixpoint of the Bellman operator*

$$[L(v)](s) = \begin{cases} \frac{1}{E(s)} + \sum_{s' \in S} \mathbf{P}(s, s') \cdot v(s') & \text{if } s \in MS \setminus G \\ \min_{s \xrightarrow{\alpha} s'} v(s') & \text{if } s \in IS \setminus G \\ 0 & \text{if } s \in G. \end{cases}$$

Intuitively, Thm. 1 justifies to add the expected sojourn times in all Markovian states before visiting a G -state. Any non-determinism in interactive states (which are, by definition, left instantaneously) is resolved by minimizing the expected reachability time from the reachable one-step successor states.

Computing expected time probabilities. The characterization of $eT^{\min}(s, \diamond G)$ in Thm. 1 allows us to reduce the problem of computing the minimum expected time reachability in an IMC to a non-negative SSP problem [2,15].

Definition 5 (SSP for minimum expected time reachability). *The SSP of IMC $\mathcal{I} = (S, Act, \rightarrow, \Longrightarrow, s_0)$ for the expected time reachability of $G \subseteq S$ is $\mathcal{P}_{eT^{\min}}(\mathcal{I}) = (S, Act \cup \{\perp\}, \mathbf{P}, s_0, G, c, g)$ where $g(s) = 0$ for all $s \in G$ and*

$$\mathbf{P}(s, \sigma, s') = \begin{cases} \frac{\mathbf{R}(s, s')}{E(s)} & \text{if } s \in MS \wedge \sigma = \perp \\ 1 & \text{if } s \in IS \wedge s \xrightarrow{\sigma} s' \\ 0 & \text{otherwise, and} \end{cases}$$

$$c(s, \sigma) = \begin{cases} \frac{1}{E(s)} & \text{if } s \in MS \setminus G \wedge \sigma = \perp \\ 0 & \text{otherwise.} \end{cases}$$

Intuitively, action transitions are assigned a Dirac distribution, whereas the probabilistic behavior of a Markovian state is as explained before. The reward of a Markovian state is its mean residence time. Terminal costs are set to zero.

Theorem 2 (Correctness of the reduction). *For IMC \mathcal{I} and its induced SSP $\mathcal{P}_{eT^{\min}}(\mathcal{I})$ it holds:*

$$eT^{\min}(s, \diamond G) = cR^{\min}(s, \diamond G)$$

where $cR^{\min}(s, \diamond G)$ denotes the minimal cost reachability of G in SSP $\mathcal{P}_{eT^{\min}}(\mathcal{I})$.

Proof. According to [2,15], $cR^{\min}(s, \diamond G)$ is the unique fixpoint of the Bellman operator L' defined as:

$$[L'(v)](s) = \min_{\alpha \in Act(s)} c(s, \alpha) + \sum_{s' \in S \setminus G} \mathbf{P}(s, \alpha, s') \cdot v(s') + \sum_{s' \in G} \mathbf{P}(s, \alpha, s') \cdot g(s').$$

We prove that the Bellman operator L from Thm. 1 equals L' for SSP $\mathcal{P}_{eT^{\min}}(\mathcal{I})$. By definition, it holds that $g(s) = 0$ for all $s \in S$. Thus

$$[L'(v)](s) = \min_{\alpha \in Act(s)} c(s, \alpha) + \sum_{s' \in S \setminus G} \mathbf{P}(s, \alpha, s') \cdot v(s').$$

For $s \in MS$, $Act(s) = \{\perp\}$; if $s \in G$, then $c(s, \perp) = 0$ and $\mathbf{P}(s, \perp, s) = 1$ imply $L'(v)(s) = 0$. For $s \in IS$ and $\alpha \in Act(s)$, there exists a unique $s' \in S$ such that $\mathbf{P}(s, \alpha, s') = 1$. Thus we can rewrite L' as follows:

$$[L'(v)](s) = \begin{cases} c(s, \perp) + \sum_{s' \in S \setminus G} \mathbf{P}(s, \perp, s') \cdot v(s') & \text{if } s \in MS \setminus G \\ \min_{s \xrightarrow{\alpha} s'} c(s, \alpha) + v(s') & \text{if } s \in IS \setminus G \\ 0 & \text{if } s \in G. \end{cases} \quad (2)$$

By observing that $c(s, \perp) = \frac{1}{E(s)}$ if $s \in MS \setminus G$ and $c(s, \sigma) = 0$, otherwise, we can rewrite L' in (2) to yield the Bellman operator L as defined in Thm. 1. \square

Observe from the fixpoint characterization of $eT^{\min}(s, \diamond G)$ in Thm. 1 that in interactive states—and only those may exhibit nondeterminism—it suffices to choose the successor state that minimizes $v(s')$. In addition, by Thm. 2, the Bellman operator L from Thm. 1 yields the minimal cost reachability in SSP $\mathcal{P}_{eT^{\min}}(\mathcal{I})$. These two observations and the fact that stationary deterministic policies suffice to attain the minimum expected cost of an SSP [2,15] yields:

Corollary 1. *There is a stationary deterministic scheduler yielding $eT^{\min}(s, \diamond G)$.*

The uniqueness of the minimum expected cost of an SSP [2,15] now yields:

Corollary 2. *$eT^{\min}(s, \diamond G)$ is the unique fixpoint of L (see Thm. 1).*

The uniqueness result enables the usage of standard solution techniques such as value iteration and linear programming to compute $eT^{\min}(s, \diamond G)$.

4 Long-run average analysis

Long-run average objectives. Let \mathcal{I} be an IMC with state space S and $G \subseteq S$ a set of goal states. We use \mathbf{I}_G as an indicator with $\mathbf{I}_G(s) = 1$ if $s \in G$ and 0, otherwise. Following the ideas of [14,22], the fraction of time spent in G on an infinite path π in \mathcal{I} up to time bound $t \in \mathbb{R}_{\geq 0}$ is given by the random variable (r. v.) $A_{G,t}(\pi) = \frac{1}{t} \int_0^t \mathbf{I}_G(\pi @ u) du$. Taking the limit $t \rightarrow \infty$, we obtain the r. v.

$$A_G(\pi) = \lim_{t \rightarrow \infty} A_{G,t}(\pi) = \lim_{t \rightarrow \infty} \frac{1}{t} \int_0^t \mathbf{I}_G(\pi @ u) du.$$

The expectation of A_G for scheduler D and initial state s yields the corresponding long-run average time spent in G :

$$\text{LRA}^D(s, G) = \mathbb{E}_{s,D}(A_G) = \int_{\text{Paths}} A_G(\pi) \text{Pr}_{s,D}(d\pi).$$

The minimum long-run average time spent in G starting from state s is then:

$$\text{LRA}^{\min}(s, G) = \inf_D \text{LRA}^D(s, G) = \inf_D \mathbb{E}_{s,D}(A_G).$$

For the long-run average analysis, we may assume w.l.o.g. that $G \subseteq MS$, as the long-run average time spent in any interactive state is always 0. This claim follows directly from the fact that interactive states are instantaneous, i.e. their sojourn time is 0 by definition. Note that in contrast to the expected time analysis, G -states cannot be made absorbing in the long-run average analysis.

Theorem 3. *There is a stationary deterministic scheduler yielding $\text{LRA}^{\min}(s, G)$.*

In the remainder of this section, we discuss in detail how to compute the minimum long-run average fraction of time to be in G in an IMC \mathcal{I} with initial state s_0 . The general idea is the following three-step procedure:

1. Determine the maximal end components $\{\mathcal{I}_1, \dots, \mathcal{I}_k\}$ of IMC \mathcal{I} .
2. Determine $\text{LRA}^{\min}(G)$ in maximal end component \mathcal{I}_j for all $j \in \{1, \dots, k\}$.
3. Reduce the computation of $\text{LRA}^{\min}(s_0, G)$ in IMC \mathcal{I} to an SSP problem.

The first phase can be performed by a graph-based algorithm [13] which has recently been improved in [9], whereas the last two phases boil down to solving linear programming problems. In the next subsection, we show that determining the LRA in an end component of an IMC can be reduced to a long-run ratio objective in an MDP equipped with two cost functions. Then, we show the reduction of our original problem to an SSP problem.

4.1 Long-run averages in unichain IMCs

In this subsection, we consider computing long-run averages in *unichain* IMCs, i.e. IMCs that under any stationary deterministic scheduler yield a strongly connected graph structure.

Long-run ratio objectives in MDPs. Let $\mathcal{M} = (S, Act, \mathbf{P}, s_0)$ be an MDP. Assume w.l.o.g. that for each state s there exists $\alpha \in Act$ such that $\mathbf{P}(s, \alpha, s') > 0$. Let $c_1, c_2 : S \times (Act \cup \{\perp\}) \rightarrow \mathbb{R}_{\geq 0}$ be cost functions. The operational interpretation is that a cost $c_1(s, \alpha)$ is incurred when selecting action α in state s , and similar for c_2 . Our interest is the ratio between c_1 and c_2 along a path. The *long-run ratio* \mathcal{R} between the accumulated costs c_1 and c_2 along the infinite path $\pi = s_0 \xrightarrow{\alpha_0} s_1 \xrightarrow{\alpha_1} \dots$ in the MDP \mathcal{M} is defined by¹:

$$\mathcal{R}(\pi) = \lim_{n \rightarrow \infty} \frac{\sum_{i=0}^{n-1} c_1(s_i, \alpha_i)}{\sum_{j=0}^{n-1} c_2(s_j, \alpha_j)}.$$

The minimum long-run ratio objective for state s of MDP \mathcal{M} is defined by:

$$R^{\min}(s) = \inf_D \mathbb{E}_{s,D}(\mathcal{R}) = \inf_D \sum_{\pi \in Paths_{s,abs}} \mathcal{R}(\pi) \cdot \Pr_{s,D}^{abs}(\pi).$$

¹ In our setting, $\mathcal{R}(\pi)$ is well-defined as the cost functions c_1 and c_2 are obtained from non-Zeno IMCs, as explained below. This entails that for any infinite path π , $c_2(s_j, \alpha_j) > 0$ for some index j .

From [13], it follows that $R^{\min}(s)$ can be obtained by solving the following linear programming problem with real variables k and x_s for each $s \in S$: Maximize k subject to the following constraints for each $s \in S$ and $\alpha \in Act$:

$$x_s \leq c_1(s, \alpha) - k \cdot c_2(s, \alpha) + \sum_{s' \in S} \mathbf{P}(s, \alpha, s') \cdot x_{s'}.$$

Reducing LRA objectives in unichain IMCs to long-run ratio objectives in MDPs. We consider the transformation of an IMC into an MDP with 2 cost functions.

Definition 6. Let $\mathcal{I} = (S, Act, \rightarrow, \Longrightarrow, s_0)$ be an IMC and $G \subseteq S$ a set of goal states. The induced MDP is $\mathcal{M}(\mathcal{I}) = (S, Act \cup \{\perp\}, \mathbf{P}, s_0)$ with cost functions c_1 and c_2 , where

$$\mathbf{P}(s, \sigma, s') = \begin{cases} \frac{\mathbf{R}(s, s')}{E(s)} & \text{if } s \in MS \wedge \sigma = \perp \\ 1 & \text{if } s \in IS \wedge s \xrightarrow{\sigma} s' \\ 0 & \text{otherwise,} \end{cases}$$

$$c_1(s, \sigma) = \begin{cases} \frac{1}{E(s)} & \text{if } s \in MS \cap G \wedge \sigma = \perp \\ 0 & \text{otherwise,} \end{cases} \quad c_2(s, \sigma) = \begin{cases} \frac{1}{E(s)} & \text{if } s \in MS \wedge \sigma = \perp \\ 0 & \text{otherwise.} \end{cases}$$

Observe that cost function c_2 keeps track of the average residence time in state s whereas c_1 only does so for states in G . The following result shows that the long-run average fraction of time spent in G -states in the IMC \mathcal{I} and the long-run ratio objective R^{\min} in the induced MDP $\mathcal{M}(\mathcal{I})$ coincide.

Theorem 4. For unichain IMC \mathcal{I} , $LRA^{\min}(s, G)$ equals $R^{\min}(s)$ in MDP $\mathcal{M}(\mathcal{I})$.

Proof. Let \mathcal{I} be a unichain IMC with state space S and $G \subseteq S$. Consider a stationary deterministic scheduler D on \mathcal{I} . As \mathcal{I} is unichain, D induces an ergodic CTMC (S, \mathbf{R}, s_0) , where $\mathbf{R}(s, s') = \sum \{\lambda \mid s \xrightarrow{\lambda} s'\}$, and $\mathbf{R}(s, s') = \infty$ if $s \in IS$ and $s \xrightarrow{D(s)} s'$.² The proof now proceeds in three steps.

⟨1⟩ According to the ergodic theorem for CTMCs [23], almost surely:

$$\mathbb{E}_{s_i} \left(\lim_{t \rightarrow \infty} \frac{1}{t} \int_0^t \mathbf{I}_{\{s_i\}}(X_u) du \right) = \frac{1}{z_i \cdot E(s_i)}.$$

Here, random variable X_t denotes the state of the CTMC at time t and $z_i = \mathbb{E}_i(T_i)$ is the expected return time to state s_i where random variable T_i is the return time to s_i when starting from s_i . We assume $\frac{1}{\infty} = 0$. Thus, in the long run almost all paths will stay in s_i for $\frac{1}{z_i \cdot E(s_i)}$ fraction of time.

⟨2⟩ Let μ_i be the probability to stay in s_i in the long run in the embedded discrete-time Markov chain (S, \mathbf{P}', s_0) of CTMC (S, \mathbf{R}, s_0) . Thus $\boldsymbol{\mu} \cdot \mathbf{P}' = \boldsymbol{\mu}$ where $\boldsymbol{\mu}$ is the vector containing μ_i for all states $s_i \in S$. Given the probability μ_i of staying in state s_i , the expected return time to s_i is

$$z_i = \frac{\sum_{s_j \in S} \mu_j \cdot E(s_j)^{-1}}{\mu_i}.$$

² Strictly speaking, ∞ is not characterizing a negative exponential distribution and is used here to model an instantaneous transition. The results applied to CTMCs in this proof are not affected by this slight extension of rates.

⟨3⟩ Gathering the above results now yields:

$$\begin{aligned}
\text{LRA}^D(s, G) &= \mathbb{E}_{s,D} \left(\lim_{t \rightarrow \infty} \frac{1}{t} \int_0^t \mathbf{I}_G(X_u) du \right) = \mathbb{E}_{s,D} \left(\lim_{t \rightarrow \infty} \frac{1}{t} \int_0^t \sum_{s_i \in G} \mathbf{I}_{\{s_i\}}(X_u) du \right) \\
&= \sum_{s_i \in G} \mathbb{E}_{s,D} \left(\lim_{t \rightarrow \infty} \frac{1}{t} \int_0^t \mathbf{I}_{\{s_i\}}(X_u) du \right) \stackrel{\langle 1 \rangle}{=} \sum_{s_i \in G} \frac{1}{z_i \cdot E(s_i)} \\
&\stackrel{\langle 2 \rangle}{=} \sum_{s_i \in G} \frac{\mu_i}{\sum_{s_j \in S} \mu_j E(s_j)^{-1}} \cdot \frac{1}{E(s_i)} = \frac{\sum_{s_i \in G} \mu_i E(s_i)^{-1}}{\sum_{s_j \in S} \mu_j E(s_j)^{-1}} \\
&= \frac{\sum_{s_i \in S} \mathbf{I}_G(s_i) \cdot \mu_i E(s_i)^{-1}}{\sum_{s_j \in S} \mu_j E(s_j)^{-1}} = \frac{\sum_{s_i \in S} \mu_i \cdot (\mathbf{I}_G(s_i) \cdot E(s_i)^{-1})}{\sum_{s_j \in S} \mu_j \cdot E(s_j)^{-1}} \\
&\stackrel{\langle \star \rangle}{=} \frac{\sum_{s_i \in S} \mu_i \cdot c_1(s_i, D(s_i))}{\sum_{s_j \in S} \mu_j \cdot c_2(s_j, D(s_j))} \stackrel{\langle \star \star \rangle}{=} \mathbb{E}_{s,D}(\mathcal{R})
\end{aligned}$$

Step $\langle \star \rangle$ is due to the definition of c_1, c_2 . Step $\langle \star \star \rangle$ has been proven in [13].

By definition, there is a one-to-one correspondence between the schedulers of \mathcal{I} and its MDP $\mathcal{M}(\mathcal{I})$. Together with the above results, this yields that $\text{LRA}^{\min} = \inf_D \text{LRA}^D(s)$ in IMC \mathcal{I} equals $R^{\min}(s) = \inf_D \mathbb{E}_{s,D}(\mathcal{R})$ in MDP $\mathcal{M}(\mathcal{I})$. \square

To summarize, computing the minimum long-run average fraction of time that is spent in some goal state in $G \subseteq S$ in unichain IMC \mathcal{I} equals the minimum long-run ratio objective in an MDP with two cost functions. The latter can be obtained by solving an LP problem. Observe that for any two states s, s' in a unichain IMC, $\text{LRA}^{\min}(s, G)$ and $\text{LRA}^{\min}(s', G)$ coincide. In the sequel, we therefore omit the state and simply write $\text{LRA}^{\min}(G)$ when considering unichain IMCs. In the next subsection, we consider IMCs that are not unichains.

4.2 Reduction to a stochastic shortest path problem

Let \mathcal{I} be an IMC with initial state s_0 and maximal end components $\{\mathcal{I}_1, \dots, \mathcal{I}_k\}$ for $k > 0$ where IMC \mathcal{I}_j has state space S_j . Note that being a maximal end component implies that each \mathcal{I}_j is also a unichain IMC. Using this decomposition of \mathcal{I} into maximal end components, we obtain the following result:

Lemma 1. *Let $\mathcal{I} = (S, \text{Act}, \rightarrow, \Longrightarrow, s_0)$ be an IMC, $G \subseteq S$ a set of goal states and $\{\mathcal{I}_1, \dots, \mathcal{I}_k\}$ the set of maximal end components in \mathcal{I} with state spaces $S_1, \dots, S_k \subseteq S$. Then*

$$\text{LRA}^{\min}(s_0, G) = \inf_D \sum_{j=1}^k \text{LRA}_j^{\min}(G) \cdot \Pr^D(s_0 \models \diamond S_j),$$

where $\Pr^D(s_0 \models \diamond S_j)$ is the probability to eventually reach some state in S_j from s_0 under scheduler D and $\text{LRA}_j^{\min}(G)$ is the long-run average fraction of time spent in $G \cap S_j$ in unichain IMC \mathcal{I}_j .

We finally show that the problem of computing minimal LRA is reducible to a non-negative SSP problem [2,15]. This is done as follows. In IMC \mathcal{I} , each maximal end component \mathcal{I}_j is replaced by a new state u_j . Formally, let $U = \{u_1, \dots, u_k\}$ be a set of fresh states such that $U \cap S = \emptyset$.

Definition 7 (SSP for long run average). *Let \mathcal{I} , S , $G \subseteq S$, \mathcal{I}_j and S_j be as before. The SSP induced by \mathcal{I} for the long-run average fraction of time spent in G is the tuple $\mathcal{P}_{LRA^{\min}}(\mathcal{I}) = (S \setminus \bigcup_{i=1}^k S_i \cup U, Act \cup \{\perp\}, \mathbf{P}', s_0, U, c, g)$, where*

$$\mathbf{P}'(s, \sigma, s') = \begin{cases} \mathbf{P}(s, \sigma, s'), & \text{if } s, s' \in S \setminus \bigcup_{i=1}^k S_i \\ \sum_{s' \in S_j} \mathbf{P}(s, \sigma, s') & \text{if } s \in S \setminus \bigcup_{i=1}^k S_i \wedge s' = u_j, u_j \in U \\ 1 & \text{if } s = s' = u_i \in U \wedge \sigma = \perp \\ 0 & \text{otherwise.} \end{cases}$$

Here, \mathbf{P} is defined as in Def. 6. Furthermore, $g(u_i) = \text{LRA}_i^{\min}(G)$ for $u_i \in U$ and $c(s, \sigma) = 0$ for all s and $\sigma \in Act \cup \{\perp\}$.

The state space of the SSP consists of all states in the IMC \mathcal{I} where each maximal end component \mathcal{I}_j is replaced by a single state u_j which is equipped with a \perp -labeled self-loop. The terminal costs of the new states u_i are set to $\text{LRA}_i^{\min}(G)$. The transition probabilities are defined as in the transformation of an IMC into an MDP, see Def. 6, except that for transitions to u_j the cumulative probability to move to one of the states in S_j is taken. Note that as interactive transitions are uniquely labeled (as we consider closed IMCs), \mathbf{P}' is indeed a probability function. The following theorem states the correctness of the reduction.

Theorem 5 (Correctness of the reduction). *For IMC \mathcal{I} and its induced SSP $\mathcal{P}_{LRA^{\min}}(\mathcal{I})$ it holds:*

$$\text{LRA}^{\min}(s, G) = cR^{\min}(s, \diamond U)$$

where $cR^{\min}(s, \diamond U)$ is the minimal cost reachability of U in SSP $\mathcal{P}_{LRA^{\min}}(\mathcal{I})$.

Example 3. Consider the IMC \mathcal{I} in Fig. 1 and its maximal end components \mathcal{I}_1 and \mathcal{I}_2 with state spaces $S_1 = \{s_4, s_5, s_6, s_7\}$ and $S_2 = \{s_3, s_8, s_9, s_{10}\}$, respectively. Let $G = \{s_7, s_8\}$ be the set of goal states. For the underlying MDP $\mathcal{M}(\mathcal{I})$, we have $\mathbf{P}(s_4, \gamma_1, s_5) = 1$, $c_1(s_4, \gamma_1) = c_2(s_4, \gamma_1) = 0$, $\mathbf{P}(s_7, \perp, s_4) = \frac{1}{2}$, $c_1(s_7, \perp) = c_2(s_7, \perp) = \frac{1}{10}$, and $\mathbf{P}(s_5, \perp, s_7) = 1$ with $c_1(s_5, \perp) = 0$ and $c_2(s_5, \perp) = \frac{1}{20}$. Solving the linear programming problems for each of the maximal end components \mathcal{I}_1 and \mathcal{I}_2 , we obtain $\text{LRA}_1^{\min}(G) = \frac{2}{3}$, $\text{LRA}_1^{\max}(G) = \frac{4}{5}$, and $\text{LRA}_2^{\max}(G) = \text{LRA}_2^{\min}(G) = \frac{9}{13}$. The SSP $\mathcal{P}_{LRA^{\min}}(\mathcal{I})$ for the complete IMC \mathcal{I} is obtained by replacing \mathcal{I}_1 and \mathcal{I}_2 with fresh states u_1 and u_2 where $g(u_1) = \frac{2}{3}$ and $g(u_2) = \frac{9}{13}$. We have $\mathbf{P}'(s_1, \perp, u_1) = \frac{1}{3}$, $\mathbf{P}'(s_2, \beta_2, u_2) = 1$, etc. Finally, by solving the linear programming problem for $\mathcal{P}_{LRA^{\min}}(\mathcal{I})$, we obtain $\text{LRA}^{\min}(s_0, G) = \frac{80}{117}$ by choosing α_1 in state s_0 and γ_1 in state s_4 . Dually, $\text{LRA}^{\max}(s_0, G) = \frac{142}{195}$ is obtained by choosing α_1 in state s_0 and γ_2 in state s_4 .

5 Case studies

5.1 Tool support

What is IMCA? IMCA (Interactive Markov Chain Analyzer) is a tool for the *quantitative* analysis of IMCs. In particular, it supports the verification of IMCs against (a) timed reachability objectives, (b) reachability objectives, (c) expected time objectives, (d) expected step objectives, and (e) long-run average objectives. In addition, it supports the minimization of IMCs with respect to strong bisimulation. IMCA synthesizes ε -optimal piecewise constant timed policies for (a) timed reachability objectives using the approach of [27], and optimal positional policies for the objectives (b)–(e). Measures (c) and (e) are determined using the approach explained in this paper. IMCA supports the plotting of piecewise constant policies (on a per state basis) and incorporates a plot functionality for timed reachability which allows to plot the timed reachability probabilities for a state over a given time interval.

Input format. IMCA has a simple input format that facilitates its usage as a back-end tool for other tools that generate IMCs from high-level model specifications such as AADL, DFTs, PRISM reactive modules, and so on. It supports the `bcg`-format, such that it accepts state spaces generated (and possibly minimized) using the CADP toolbox [11]; CADP supports a LOTOS-variant for the compositional modeling of IMCs and compositional minimization of IMCs.

Implementation Details. A schematic overview of the IMCA tool is given in Fig. 2. The tool is written in C++, consists of about 6,000 lines of code, and exploits




Figure 2. Tool functionality of IMCA.

the GNU Multiple Precision Arithmetic Library³ and the Multiple Precision Floating-Point Reliable Library⁴ so as to deal with the small probabilities that occur during discretization for (a). Other included libraries are QT 4.6 and LP-solve⁵ 5.5. The latter supports several efficient algorithms to solve LP problems; by default it uses simplex on an LP problem and its dual.

³ <http://gmplib.org/>.

⁴ <http://www.mpfr.org/>.

⁵ <http://lpsolve.sourceforge.net/>.

N	# states	# transitions	$ G $	$eT^{\max}(s, \diamond G)$ time (s)	$\text{Pr}^{\max}(s, \diamond G)$ time (s)	$\text{LRA}^{\max}(s, G)$ time (s)
1	111	320	74	0.0115	0.0068	0.0354
4	819	2996	347	0.6418	0.1524	0.3629
8	2771	10708	1019	3.1046	1.8222	11.492
16	8959	36736	3042	35.967	18.495	156.934
32	38147	155132	12307	755.73	467.0	3066.31
52	96511	396447	30474	5140.96	7801.56	OOM

Table 1. Computation times for the workstation cluster.

5.2 Case studies

We study the practical feasibility of IMCA’s algorithms for expected time reachability and long-run averages on two case studies: A dependable workstation cluster [17] and a Google file system [10]. The experiments were conducted on a single core of a 2.8 GHz Intel Core i7 processor with 4GB RAM running Linux.

Workstation cluster. In this benchmark, two clusters of workstations are connected via a backbone network. In each cluster, the workstations are connected via a switch. All components can fail. Our model for the workstation cluster benchmark is basically as used in all of its studies so far, except that the inspection transitions in the GSPN (Generalized Stochastic Petri Net) model of [17] are immediate rather than —as in all current studies so far— stochastic transitions with a very high rate. Accordingly, whenever the repair unit is available and different components have failed, the choice which component to repair next is nondeterministic (rather than probabilistic). This yields an IMC with the same size as the Markov chain of [17]. Table 1 shows the computation times for the maximum expected reachability times where the set G of goal states depends on the number N of operational workstations. More precisely, G is the set of states in which none of the operational left (or right) workstations connected via an operational switch and backbone is available. For the sake of comparison, the next column indicates the computation times for unbounded reachability probabilities for the same goal set. The last column of Table 1 lists the results for the long-run average analysis; the model consists of a single end component.

Google file system. The model of [10] focuses on a replicated file system as used as part of the Google search engine. In the Google file system model, files are divided into chunks of equal size. Several copies of each chunk reside at several chunk servers. The location of the chunk copies is administered by a single master server. If a user of the file system wants to access a certain chunk of a file, it asks the master for the location. Data transfer then takes place directly between a chunk server and the user. The model features three parameters: The number M of chunk servers, the number S of chunks a chunk server may store, and the total number N of chunks. In our setting, $S = 5000$ and $N = 100000$, whereas M varies. The set G of goal states characterizes the set of states that offer at least service level one. We consider a variant of the GSPN model in [10] in which the probability whether a hardware or a software failure occurs in the chunk

M	# states	# transitions	$ G $	$eT^{\min}(s, \diamond G)$ time (s)	$\text{Pr}^{\min}(s, \diamond G)$ time (s)	$\text{LRA}^{\min}(s, G)$ time (s)
10	1796	6544	408	0.7333	0.9134	4.8531
20	7176	27586	1713	16.033	48.363	173.924
30	16156	63356	3918	246.498	271.583	2143.79
40	28736	113928	7023	486.735	1136.06	4596.14
60	64696	202106	15933	765.942	1913.66	OOM

Table 2. Computation times for Google file system ($S = 5000$ and $N = 100000$).

server is unknown. This aspect was not addressed in [10]. Table 2 summarizes the computation times for the analysis of the nondeterministic Google file system model (it has a single end component).

6 Conclusions

We presented novel algorithms, prototypical tool support in IMCA, and two case studies for the analysis of expected time and long run average objectives of IMCs. We have shown that both objectives can be reduced to stochastic shortest path problems. As IMCs are the semantic backbone of engineering formalisms such as AADL error models [5], dynamic fault trees [4] and GALS hardware designs [12], our contribution enlarges the analysis capabilities for dependability and reliability. The support of the compressed `bcg`-format allows for the direct usage of our tool and algorithms as back-end to tools like CADP [11] and CORAL [4]. The tool and case studies are publicly available at <http://moves.rwth-aachen.de/imca>. Future work will focus on the generalization of the presented algorithms to Markov automata [16], and experimentation with symbolic data structures such as multi-terminal BDDs by, e.g. exploiting PRISM for the MDP analysis.

Acknowledgment. This research was supported by the EU FP7 MoVeS project and the ERC advanced grant VERIWARE. Silvio de Carolis is thanked for the `bcg`-interface and Moritz Hahn is thanked for his help on the Google file system.

References

1. Baier, C., Haverkort, B. R., Hermanns, H., Katoen, J.-P.: Model-checking algorithms for continuous-time Markov chains. *IEEE TSE* **29** (2003) 524–541
2. Bertsekas, D. P., Tsitsiklis, J. N.: An analysis of stochastic shortest path problems. *Mathematics of Operations Research* **16** (1991) 580–595
3. Böde, E., Herbstritt, M., Hermanns, H., Johr, S., Peikenkamp, T., Pulungan, R., Rakow, J., Wimmer, R., Becker, B.: Compositional dependability evaluation for STATEMATE. *IEEE TSE* **35** (2009) 274–292
4. Boudali, H., Crouzen, P., Stoelinga, M.: A rigorous, compositional, and extensible framework for dynamic fault tree analysis. *IEEE TSDC* **7** (2009) 128–143
5. Bozzano, M., Cimatti, A., Katoen, J.-P., Nguyen, V., Noll, T., Roveri, M.: Safety, dependability and performance analysis of extended AADL models. *The Computer Journal* **54** (2011) 754–775

6. Brázdil, T., Forejt, V., Krcál, J., Kretínský, J., Kucera, A.: Continuous-time stochastic games with time-bounded reachability. In: *FSTTCS. LIPIcs*, Vol. 4. Schloss Dagstuhl (2009) 61–72
7. Buchholz, P., Hahn, E. M., Hermanns, H., Zhang, L.: Model checking algorithms for CTMDPs. In: *CAV. LNCS*, Vol. 6806. Springer (2011) 225–242
8. Buchholz, P., Schulz, I.: Numerical analysis of continuous time Markov decision processes over finite horizons. *Computers & OR* **38** (2011) 651–659
9. Chatterjee, K., Henzinger, M.: Faster and dynamic algorithms for maximal end-component decomposition and related graph problems in probabilistic verification. In: *Symp. on Discrete Algorithms (SODA)*. SIAM (2011) 1318–1336
10. Cloth, L., Haverkort, B. R.: Model checking for survivability. In: *QEST*. IEEE Computer Society (2005) 145–154
11. Coste, N., Garavel, H., Hermanns, H., Lang, F., Mateescu, R., Serwe, W.: Ten years of performance evaluation for concurrent systems using CADP. In: *ISoLA. LNCS*, Vol. 6416. Springer (2010) 128–142
12. Coste, N., Hermanns, H., Lantreibecq, E., Serwe, W.: Towards performance prediction of compositional models in industrial GALS designs. In: *CAV. LNCS*, Vol. 5643. Springer (2009) 204–218
13. de Alfaro, L.: *Formal Verification of Probabilistic Systems*. PhD thesis, Stanford University (1997)
14. de Alfaro, L.: How to specify and verify the long-run average behavior of probabilistic systems. In: *LICS*. IEEE CS Press (1998) 454–465
15. de Alfaro, L.: Computing minimum and maximum reachability times in probabilistic systems. In: *CONCUR. LNCS*, Vol. 1664. Springer (1999) 66–81
16. Eisentraut, C., Hermanns, H., Zhang, L.: On probabilistic automata in continuous time. In: *LICS*. IEEE Computer Society (2010) 342–351
17. Haverkort, B. R., Hermanns, H., Katoen, J.-P.: On the use of model checking techniques for dependability evaluation. In: *SRDS*. IEEE CS (2000) 228–237
18. Hermanns, H.: *Interactive Markov Chains and the Quest for Quantified Quality*. LNCS, Vol. 2428. Springer (2002)
19. Hermanns, H., Katoen, J.-P.: The how and why of interactive Markov chains. In: *FMCO. LNCS*, Vol. 6286. Springer (2009) 311–337
20. Johr, S.: *Model Checking Compositional Markov Systems*. PhD thesis, Saarland University (2007)
21. Knast, R.: Continuous-time probabilistic automata. *Information and Control* **15** (1969) 335–352
22. López, G., Hermanns, H., Katoen, J.-P.: Beyond memoryless distributions: Model checking semi-Markov chains. In: *PAPM-PROBMIV*. LNCS 2165. Springer (2001) 57–70
23. Norris, J.: *Markov Chains*. Cambridge University Press (1997)
24. Rabe, M. N., Schewe, S.: Finite optimal control for time-bounded reachability in CTMDPs and continuous-time Markov games. *Acta Inf.* **48** (2011) 291–315
25. von Essen, C., Jobstmann, B.: Synthesizing systems with optimal average-case behavior for ratio objectives. In: *iWIGP. EPTCS*, Vol. 50. (2011) 17–32
26. Yushtein, Y., Bozzano, M., Cimatti, A., Katoen, J.-P., Nguyen, V. Y., Noll, T., Olive, X., Roveri, M.: System-software co-engineering: Dependability and safety perspective. In: *SMC-IT*. IEEE Computer Society (2011) 18–25
27. Zhang, L., Neuhäüßer, M. R.: Model checking interactive Markov chains. In: *TACAS. LNCS*, Vol. 6015. Springer (2010) 53–68